DEMIBLA VALVES LTD

Industries We Serve



Oil & Gas



FPSO



Petrochemical & Fertilizer



Metal & Mining



Power & Water



Chemical & Pharmaceutical



Globe Control Valve, Series - 1100



- ► Precision Control valve
- Excellent in handling clean fluids, gases and steam
- ► Noise abating trim designs available
- ► Anti-Cavitation & flashing trim designs available
- ► Multi Spring diaphragm & Compact design actuator available

Sizes: DN 15 To DN 1000Rating: 150# To 2500#


- ► All Materials are available on request
- ► Cryogenic application valve available



➤ Sizes: DN 25 To DN 600
➤ Rating: 150# To 2500#

► All Materials are available on request

Severe Service Control Valve, Series - 1600



Features

- ► High Pressure multi cage anti cavitation trim design available
- ► Low noise trims design
- Customized trim design available as per various severe service requirements

Stacked Trim Control Valve, Series - 1800

► Sizes: DN 25 To DN 600

► Rating: 150# To 2500#

► All Materials are available on request

Features

- ► Multi stage multipath trim design
- ► Provide restriction and expansion channel to control the pressure drop of the fluid
- ▶ Prevent cavitation problem & eliminates trim erosion
- ► Customized trim design available as per various severe service requirements



High Performance Double Offset Butterfly Valve, Series - 7400



► Sizes: DN 50 to DN 3000

► Rating: 150#, 300#

► All Materials are available on request



Features

- ► Valves are designed with soft seat to achieve bidirectional shut-off.
- ▶ Wide choice of various seat MOC : PTFE / RPTFE / SS316 / EPDM / VITON
- ► Anti Blow out proof stem design
- ▶ Wafer , Lugged and Double Flanged design available
- ▶ Pneumatic, Electrical and Electro Hydraulic Actuator available

Triple Offset Butterfly Valve, Series - 7600



Features

- ► Metal to metal tight shut off with Rate 'A' as per ISO 5208
- ► Inherently Fire Safe Design
- ► Laminated Seals & metal seated design available
- ► Suitable to handle high temperature and abrasive application
- **▶** Bidirectional
- ► Anti Blow out proof stem design
- ▶ Pneumatic, Electrical and Electro Hydraulic Actuator

Sizes: DN 80 to DN 1200Rating: 150#, 300#, 600#

► All Materials are available on request

► Cryogenic application valve available



Trunnion Ball Valve, Series - 8200



► Sizes: DN 50 To DN 1500

► Rating: 150# To 2500#

► All Materials are available on request

► Cryogenic application valve available



Features

- ► Soft Seated & Metal Seat tight Shutoff with Rate 'A' as per ISO 5208
- ► Most Popular & Reliable Valve For Isolation & **Shut Down Applications**
- ► Three Piece, Two Piece Designs Available ► Stellited Ball & Seats For Tight Shut In Abrasive Fluids
- ► Auto Cavity Relief Design ► Available for emergency shutdown application
- ▶ Pneumatic, Electrical and Electro Hydraulic Actuator available

DBB Ball Valve, Series - DBB-01



Features

- ► Live Loaded Gland Packing
- ► Antistatic & Locking Device
- ▶ Blow Out Proof Stem design
- ► Equalized Cavity Pressure

► Sizes: DN 15 To DN 500

► Rating: 150# To 2500#

► All Materials are available on request

► Cryogenic application valve available



► Sizes: DN 15 To DN 200

► Rating: 150# To 300#

► All Materials are available on request



Floating Ball Valve, Series - 8100




Features

- ► Live Loaded gland packing,
- ► Antistatic & Locking Device
- ▶ Blow Out Proof Stem,
- ► Integral Actuator Mounting Pad
- ► Available in Soft Seat & Metal Seat
- ► Screwed, Socket weld, Butt weld and Double Flanged End connection

Gate Globe Check Valve, Series - GTV-01, GBV-01, SCV-01





► Rating: 150#, 300#, 600#, 900#, 1500#, 2500#

► All Materials are available on request

► Cryogenic application valve available



Features - Gate Valve

- ► Flexible/Solid wedge
- ► Flanged/Screwed / Socket and Butt weld end connection
- ► By Pass Arrangement for pressure equalisation
- ► Rising Stem/Non Rising stem
- ► All types of trims as per API 600

Features - Globe Valve

- ► Rising stem
- ► Parabolic disc on request
- ► Vertical /Horizontal Mounting
- ► All types of trims as per API 600

Features - Check Valve

- ► Lever and Counter
 Weight arrangement as required
- ► Full bore and Pigging design
- ► Soft / Metal seat
- ► All types of trims as per API 600

Dual Plate Check Valve, Series DPCV-01



► Sizes: DN 50 To DN 1500

► Rating: 150#, 300#, 600#, 900#, 1500#, 2500#

► All Materials are available on request

Features

- ► Compact & light weight design
- ► Prevent back flow
- ► Positive closing due to spring loaded design

Plug Valve, Series PLV-01




- ► Sizes: DN 25 To DN 400
- ► Rating: 150#, 300#, 600#
- ► All Materials are available on request

Features

- ► Live Loaded gland packing,
- ► Antistatic & Locking Device
- ▶ Blow Out Proof Stem,
- ► Integral Actuator Mounting Pad
- ► Available in Soft Seat & Metal Seat
- ► Screwed, Socket weld, Butt weld and Double Flanged End connection



Worldwide supply & Installation Base



Certifications

- ► ISO Certificate 9001:2015
- ► ISO Certificate 14001:2015
- ► ISO Certificate 45001:2018
- ► CE Certificate
- ► ATEX Certificate
- ► API 6D Certificate Ball Valve
- ► API 609 Certificate Butterfly Valve
- ► SIL 3 Certificate Ball Valve, Butterfly Valve, Globe Control Valves
- ► Fire Safe Certificate Ball Valve, Butterfly Valve
- ► TRCU Ball Valve, Butterfly Valve, Globe Control Valves, Gate Globe Check Valves

Head Office:

Dembla Valves Ltd.
C-30, Jai Matadi Compound, Kalher
Village, Thane-Bhiwandi-Agra Raod -421302,
Maharashtra, India.
Tel - +91-9292234790 - 97
E-mail - marketing@dembla.com
More info - www.dembla.com

Factory:

Dembla Valves Ltd. A/8, Arahm Logic Park, Valshind Village, Mumbai -Nashik Highway (Nh3), Bhiwandi, Thane - 421302. Maharashtra (India)

